

## TOP 12 ABSTRACTS



External validation of the DIVA and DIVA3 scores to predict difficult intravenous access in children

Girotto C. et al, Padova



A retrospective study of head injuries among paediatric school-going children

WY Tong, Signapore

(A3)


Does fluid bolus therapy increase blood pressure in children with sepsis?

Elliot Long, Melbourne

B4

Serum NT-proBNP in The Early Detection of Carbon Monoxide-Induced Cardiac Dysfunction

Caner TURAN, Izmir



Outbreak Of Enterovirus Meningitis In Infants < 3 Months: Verona Paediatric Emergency Department Experience

L. Baggio, Verona

Comparative analysis of cerebral oximetry readings as a predictive analytic tool to differentiate Todd's paralysis and ischemic stroke patients in a PED Stroke Alert

Abramo MD, PEMA, USA

Feasibility And Effectiveness Of Non-neonatal Intubation (Nni) Training For Pediatricians In Flanders

E. JANSSENS, Antwerp


Enhancing practitioner explanations and parental understanding of recruitment and consent- an adapted model for paediatric emergency medicine trials;

Louise Roper, Liverpool

**C9** 


Outcome of out-of-hospital cardiac arrest in children in the Netherlands

Jasmijn Harpman, Rotterdam



Hashimoto encephalitis: a rare cause of encephalitis associated with a classical clinical profile

M. Saliba, Liege



Challenges and enablers to successfully conducting an emergency department led paediatric trial: lessons from the EcLiPSE trial

Kerry Woolfall, Liverpool

Better targeted antibiotic prescription for childhood pneumonia by a clinical decision rule. A stepped wedge

J.S. Vandemaat, Rotterdam